

PIT SWITCHES

MEGA Stock Code - PSS-1


- Run/Stop steel switch guard
- Switch 1NO, 20A 120/277V AC



PSS-1

MEGA Stock Code – PSS-2

- Run/Stop steel switch guard
- Safety steel ball lock pin with 7" chain
- Switch 1NO, 20A 120/277V AC



PSS-2

MEGA Stock Code – PSS-3

- Push to Stop / Pull to Run
- Maintained in both positions
- Switch 1NC, 10A 600V AC, 5A 250V DC



PSS-3

MEGA Stock Code – PSS-4

- Push to Stop / Pull to run.
- One normally open & one normally closed contact
- Four-prong guard helps prevent accidental engagement of the switch



PSS-4

MEGA Stock Code – PF-SWITCH

- Easy Installation
- All Components are UL-listed.
- May be switched from NO to NC



PF-SWITCH

Note: Product photos are for reference only.

PIT WORK LIGHT

MEGA Stock Code – PWLG

- Duplex GFCI outlet 15A 125V AC
- Light switch Single-Pole 1NO, 10A 220V AC, 20A 125V AC
- Box dimensions 4-3/4" x 4-3/4" x 2-1/4"



PWLG

PIT AUXILIARY CONVENIENCE BOX

MEGA Stock Code - ACBG

- Light switch Single-Pole, 10A 220V AC, 20A 125V AC
- Duplex GFCI outlet, Test/Reset buttons, 20A 125V AC.
- Box dimensions - 6"W x 4"D x 4-1/8"H.



ACBG

Note: Product photos are for reference only.

PIT FLOOD ALARM

PIT flood alarms designed for up to 4' deep pit and equipped with an 8' long power cord, 3-wire grounded plug, and 6" alarm bell. They are extremely adjustable, mounting to 8#, 12#, or 15# rails.

MEGA Stock Code - PFA2

- Two float switches
- First switch activates alarm bell
- Second switch designed for auxiliary control circuit
- 120V AC



PFA2

HEAVY-DUTY SCAVENGER PUMP'S

Ribbed, reinforced polyethylene container will not corrode. The clear 1/4" Lexan top allows visibility of the inner workings of the unit. The internal float switch automatically turns the pump on and off. External float switch shuts off pump if pit begins to fill with water

MEGA Stock Code - OSC/B

- 45GPH @ 100PSI, 39GPH @ 200PSI pump
- 1/4HP, 2.8A, 115V AC, 1 phase, thermally protected motor
- UL approved motor and cord
- 100 ft. plastic tubing with fittings
- Includes flood control reset
- 100 mesh filter (149 micron)
- 15" W x 10" D x 8"H tank size



OSC/B

Note: Product photos are for reference only.