


MTW, TEW & THHN

Conductors are suitable for operations at 600 volts as specified in the National Electrical Code, at conductor temperatures not to exceed 75° C when exposed to oil or coolant, 90° C in wet or dry locations.



18 AWG TEW Single Conductor - 600V 105° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
18ATEWBL-500	Black , 500' REEL , 18AWG , STRANDED	0.11
18ATEWBR-500	Brown , 500' REEL , 18AWG , STRANDED	0.11
18ATEWBU-500	Blue , 500' REEL , 18AWG , STRANDED	0.11
18ATEWGN-500	Green , 500' REEL , 18AWG , STRANDED	0.11
18ATEWGY-500	Gray , 500' REEL , 18AWG , STRANDED	0.11
18ATEWOR-500	Orange , 500' REEL , 18AWG , STRANDED	0.11
18ATEWPK-500	Pink , 500' REEL , 18AWG , STRANDED	0.11
18ATEWPU-500	Purple , 500' REEL , 18AWG , STRANDED	0.11
18ATEWRD-500	Red , 500' REEL , 18AWG , STRANDED	0.11
18ATEWWH-500	White , 500' REEL , 18AWG , STRANDED	0.11
18ATEWYW-500	Yellow, 500' REEL , 18AWG , STRANDED	0.11



14 AWG TEW Single Conductor - 600V 105° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
14ATEWBL-500	Black , 500' REEL , 14AWG , STRANDED	0.13
14ATEWBR-500	Brown , 500' REEL , 14AWG , STRANDED	0.13
14ATEWBU-500	Blue , 500' REEL , 14AWG , STRANDED	0.13
14ATEWGN-500	Green , 500' REEL , 14AWG , STRANDED	0.13
14ATEWOR-500	Orange , 500' REEL , 14AWG , STRANDED	0.13
14ATEWRD-500	Red , 500' REEL , 14AWG , STRANDED	0.13
14ATEWWH-500	White , 500' REEL , 14AWG , STRANDED	0.13
14ATEWYW-500	Yellow, 500' REEL , 14AWG , STRANDED	0.13



Note: Product photos are for reference only.

12 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
12THHNBL-500	Black , 500' REEL , 12AWG , STRANDED	0.13
12THHNBU-500	Blue , 500' REEL , 12AWG , STRANDED	0.13
12THHNBR-500	Brown , 500' REEL , 12AWG , STRANDED	0.13
12THHNGN-500	Green, 500' REEL , 12AWG , STRANDED	0.13
12THHNOR-500	Orange, 500' REEL , 12AWG , STRANDED	0.13
12THHNRD-500	Red, 500' REEL , 12AWG , STRANDED	0.13
12THHNYW-500	Yellow, 500' REEL , 12AWG , STRANDED	0.13



10 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
10THHNBL-500	Black , 500' REEL , 10 AWG , STRANDED	0.16
10THHNBU-500	Blue , 500' REEL , 10AWG , STRANDED	0.16
10THHNBR-500	Brown , 500' REEL , 10AWG , STRANDED	0.16
10THHNGN-500	Green, 500' REEL , 10AWG , STRANDED	0.16
10THHNOR-500	Orange, 500' REEL , 10AWG , STRANDED	0.16
10THHNRD-500	Red, 500' REEL , 10AWG , STRANDED	0.16
10THHNYW-500	Yellow, 500' REEL , 10AWG , STRANDED	0.16



8 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
8THHNBL	Black , Cut to length , 8AWG , STRANDED	0.22
8THHNBU	Blue , Cut to length , 8AWG , STRANDED	0.22
8THHNBR	Brown , Cut to length , 8AWG , STRANDED	0.22
8THHNGN	Green , Cut to length , 8AWG , STRANDED	0.22
8THHNOR	Orange, Cut to length , 8AWG , STRANDED	0.22
8THHNRD	Red, Cut to length , 8AWG , STRANDED	0.22
8THHNYW	Yellow, Cut to length , 8AWG , STRANDED	0.22



Note: Product photos are for reference only.

6 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
6THHNBL	Black , Cut to length , 6AWG , STRANDED	0.25
6THHNBU	Blue , Cut to length , 6AWG , STRANDED	0.25
6THHNBR	Brown , Cut to length , 6AWG , STRANDED	0.25
6THHNGN	Green, Cut to length , 6AWG , STRANDED	0.25
6THHNOR	Orange , Cut to length , 6AWG , STRANDED	0.25
6THHNRD	Red , Cut to length , 6AWG , STRANDED	0.25
6THHNYW	Yellow , Cut to length , 6AWG , STRANDED	0.25



4 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
4THHNBL	Black , Cut to length , 4AWG , STRANDED	0.32
4THHNBU	Blue , Cut to length , 4AWG , STRANDED	0.32
4THHNBR	Brown , Cut to length , 4AWG , STRANDED	0.32
4THHNGN	Green, Cut to length , 4AWG , STRANDED	0.32
4THHNOR	Orange , Cut to length , 4AWG , STRANDED	0.32
4THHNRD	Red , Cut to length , 4AWG , STRANDED	0.32
4THHNYW	Yellow , Cut to length , 4AWG , STRANDED	0.32



3 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
3THHNBL	Black , Cut to length , 3AWG , STRANDED	0.34
3THHNBU	Blue , Cut to length , 3AWG , STRANDED	0.34
3THHNBR	Brown , Cut to length , 3AWG , STRANDED	0.34
3THHNGN	Green , Cut to length , 3AWG , STRANDED	0.34
3THHNOR	Orange , Cut to length , 3AWG , STRANDED	0.34
3THHNRD	Red, Cut to length , 3AWG , STRANDED	0.34
3THHNYW	Yellow , Cut to length , 3AWG , STRANDED	0.34



2 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
2THHNBL	Black , Cut to length , 2AWG , STRANDED	0.38
2THHNBU	Blue , Cut to length , 2AWG , STRANDED	0.38
2THHNBR	Brown , Cut to length , 2AWG , STRANDED	0.38
2THHNGN	Green , Cut to length , 2AWG , STRANDED	0.38
2THHNOR	Orange , Cut to length , 2AWG , STRANDED	0.38
2THHNRD	Red , Cut to length , 2AWG , STRANDED	0.38
2THHNYW	Yellow , Cut to length , 2AWG , STRANDED	0.38



1 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
1THHNBL	Black , Cut to length , 1AWG , STRANDED	0.44
1THHNBU	Blue , Cut to length , 1AWG , STRANDED	0.44
1THHNBR	Brown , Cut to length , 1AWG , STRANDED	0.44
1THHNGN	Green , Cut to length , 1AWG , STRANDED	0.44
1THHNOR	Orange , Cut to length , 1AWG , STRANDED	0.44
1THHNRD	Red , Cut to length , 1AWG , STRANDED	0.44
1THHNYW	Yellow , Cut to length , 1AWG , STRANDED	0.44



1/0 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
1/0THHNBL	Black , Cut to length , 1/0AWG , STRANDED	0.48
1/0THHNBU	Blue , Cut to length , 1/0AWG , STRANDED	0.48
1/0THHNBR	Brown , Cut to length , 1/0AWG , STRANDED	0.48
1/0THHNGN	Green , Cut to length , 1/0AWG , STRANDED	0.48
1/0THHNOR	Orange , Cut to length , 1/0AWG , STRANDED	0.48
1/0THHNRD	Red , Cut to length , 1/0AWG , STRANDED	0.48
1/0THHNYW	Yellow , Cut to length , 1/0AWG , STRANDED	0.48



Note: Product photos are for reference only.

2/0 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
2/0THHNBL	Black , Cut to length , 2/0AWG , STRANDED	0.52
2/0THHNBU	Blue , Cut to length , 2/0AWG , STRANDED	0.52
2/0THHNBR	Brown , Cut to length , 2/0AWG , STRANDED	0.52
2/0THHNGN	Green , Cut to length , 2/0AWG , STRANDED	0.52
2/0THHNOR	Orange , Cut to length , 2/0AWG , STRANDED	0.52
2/0THHNRD	Red , Cut to length , 2/0AWG , STRANDED	0.52
2/0THHNYW	Yellow , Cut to length , 2/0AWG , STRANDED	0.52



3/0 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
3/0THHNBL	Black , Cut to length , 3/0AWG , STRANDED	0.58
3/0THHNBU	Blue , Cut to length , 3/0AWG , STRANDED	0.58
3/0THHNBR	Brown , Cut to length , 3/0AWG , STRANDED	0.58
3/0THHNGN	Green , Cut to length , 3/0AWG , STRANDED	0.58
3/0THHNOR	Orange , Cut to length , 3/0AWG , STRANDED	0.58
3/0THHNRD	Red , Cut to length , 3/0AWG , STRANDED	0.58
3/0THHNYW	Yellow , Cut to length , 3/0AWG , STRANDED	0.58



4/0 AWG THHN Single Conductor - 600V 90° C RATED

MEGA Stock Code	Description	Nom O.D (inches)
4/0THHNBL	Black , Cut to length , 4/0AWG , STRANDED	0.64
4/0THHNBU	Blue , Cut to length , 4/0AWG , STRANDED	0.64
4/0THHNBR	Brown , Cut to length , 4/0AWG , STRANDED	0.64
4/0THHNGN	Green , Cut to length , 4/0AWG , STRANDED	0.64
4/0THHNOR	Orange , Cut to length , 4/0AWG , STRANDED	0.64
4/0THHNRD	Red , Cut to length , 4/0AWG , STRANDED	0.64
4/0THHNYW	Yellow , Cut to length , 4/0AWG , STRANDED	0.64



Note: Product photos are for reference only.