




Wireway Product Identification




90° Elbow/Type C




90° Elbow/Type D




Trough Reducers




45° Elbow/Type C




45° Elbow/Type D




Tees / Type C




Tees / Type D




Panel Connectors




End Plates



Insulated Bushings



Couplings



Galvanized Steel Wireway



Wireway Cover

Available Sizes:

- 2-1/2 x 2-1/2
- 2-1/2 x 4
- 2-1/2 x 6
- 2-1/2 x 8
- 4 x 4
- 4 x 6
- 4 x 8
- 6 x 6
- 8 x 8


Note: Product photos are for reference only.

Galvanized Steel Wireway With Cover

MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches
UGTR 2525120CSA	2-1/2	2-1/2	120
UGTR 254120CSA	2-1/2	4	120
UGTR 256120CSA	2-1/2	6	120
UGTR 258120CSA	2-1/2	8	120
UGTR 44120CSA	4	4	120
UGTR 46120CSA	4	6	120
UGTR 48120CSA	4	8	120
UGTR 66120CSA	6	6	120
UGTR 88120CSA	8	8	120

Covers and Screws

MEGA Stock Code	Description	Dimension A inches	Dimension B inches
CU25	Cover	2-1/2	60
CU44	Cover	4	60
CU66	Cover	6	60
CU88	Cover	8	60
59-020	Cover Screw, #10-32 x 1/2 in	N/A	N/A



Galvanized Steel Wireway




Wireway Cover

Note: Product photos are for reference only.

90° Elbow/Type C


MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches	For Use with Wireway P/N
UL90 2525CSA	2-1/2	2-1/2	6-1/4	UGTR 2525120CSA
UL90 254CSA	2-1/2	4	7-3/4	UGTR 254120CSA
UL90 256CSA	2-1/2	6	9-3/4	UGTR 256120CSA
UL90 258CSA	2-1/2	8	11-3/4	UGTR 258120CSA
UL90 44CSA	4	4	7-3/4	UGTR 44120CSA
UL90 46CSA	4	6	9-3/4	UGTR 46120CSA
UL90 48CSA	4	8	11-3/4	UGTR 48120CSA
UL90 66CSA	6	6	9-3/4	UGTR 66120CSA
UL90 88CSA	8	8	11-3/4	UGTR 88120CSA



90° Elbow/Type C

90° Elbow/Type D

MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches	For Use with Wireway P/N
UL90 425CSA	4	2-1/2	6-1/4	UGTR 254120CSA
UL90 625CSA	6	2-1/2	6-1/4	UGTR 256120CSA
UL90 825CSA	8	2-1/2	6-1/4	UGTR 258120CSA
UL90 64CSA	6	4	7-3/4	UGTR 46120CSA
UL90 84CSA	8	4	7-3/4	UGTR 48120CSA




90° Elbow/Type D

Note: Product photos are for reference only.


45° Elbow/Type C

MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches	For Use with Wireway P/N
UL45 2525CSA	2-1/2	2-1/2	4-9/16	UGTR 2525120CSA
UL45 254CSA	2-1/2	4	5-1/4	UGTR 254120CSA
UL45 256CSA	2-1/2	6	6	UGTR 256120CSA
UL45 258CSA	2-1/2	8	6-1/2	UGTR 258120CSA
UL45 44CSA	4	4	5-1/4	UGTR 44120CSA
UL45 46CSA	4	6	6	UGTR 46120CSA
UL45 48CSA	4	8	6-1/2	UGTR 48120CSA
UL45 66CSA	6	6	6	UGTR 66120CSA
UL45 88CSA	8	8	6-1/2	UGTR 88120CSA



45° Elbow/Type D


MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches	For Use with Wireway P/N
UL45 425CSA	4	2-1/2	4-9/16	UGTR 254120CSA
UL45 625CSA	6	2-1/2	4-9/16	UGTR 256120CSA
UL45 825CSA	8	2-1/2	4-9/16	UGTR 258120CSA
UL45 64CSA	6	4	5-1/4	UGTR 46120CSA
UL45 84CSA	8	4	5-1/4	UGTR 48120CSA



Note: Product photos are for reference only.

Tees/Type C


MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches	For Use with Wireway P/N
UTEE 2525CSA	2-1/2	2-1/2	9-7/8	UGTR 2525120CSA
UTEE 254CSA	2-1/2	4	9-7/8	UGTR 254120CSA
UTEE 256CSA	2-1/2	6	9-7/8	UGTR 256120CSA
UTEE 258CSA	2-1/2	8	9-7/8	UGTR 258120CSA
UTEE 44CSA	4	4	11-3/8	UGTR 44120CSA
UTEE 46CSA	4	6	11-3/8	UGTR 46120CSA
UTEE 48CSA	4	8	11-3/8	UGTR 48120CSA
UTEE 66CSA	6	6	13-3/8	UGTR 66120CSA
UTEE 88CSA	8	8	15-3/8	UGTR 88120CSA



Tees / Type C

Tees/Type D

MEGA Stock Code	Dimension A inches	Dimension B inches	Dimension C inches	For Use with Wireway P/N
UTEE 425CSA	4	2-1/2	11-3/8	UGTR 254120CSA
UTEE 625CSA	6	2-1/2	13-3/8	UGTR 256120CSA
UTEE 825CSA	8	2-1/2	15-3/8	UGTR 258120CSA
UTEE 64CSA	6	4	13-3/8	UGTR 46120CSA
UTEE 84CSA	8	4	15-3/8	UGTR 48120CSA




Tees / Type D

Note: Product photos are for reference only.

Panel Connectors


MEGA Stock Code	Dimension A inches	Dimension B inches
UPCN 2525CSA	2-1/8	2-7/16
UPCN 254CSA	2-1/8	3-15/16
UPCN 256CSA	2-1/8	5-15/16
UPCN 258CSA	2-1/8	7-15/16
UPCN 44CSA	3-5/8	3-15/16
UPCN 46CSA	3-5/8	5-15/16
UPCN 48CSA	3-5/8	7-15/16
UPCN 66CSA	5-5/8	5-15/16
UPCN 88CSA	7-5/8	7-15/16



Panel Connectors

End Plates


MEGA Stock Code	Dimension A inches	Dimension B inches
UEPT 2525CSA	2-1/8	2-7/16
UEPT 254CSA	2-1/8	3-15/16
UEPT 256CSA	2-1/8	5-15/16
UEPT 258CSA	2-1/8	7-15/16
UEPT 44CSA	3-5/8	3-15/16
UEPT 46CSA	3-5/8	5-15/16
UEPT 48CSA	3-5/8	7-15/16
UEPT 66CSA	5-5/8	5-15/16
UEPT 88CSA	7-5/8	7-15/16



End Plates

Couplings

MEGA Stock Code	Dimension A inches	Dimension B inches
UCON 2525CSA	2-1/8	2-7/16
UCON 254CSA	2-1/8	3-15/16
UCON 256CSA	2-1/8	5-15/16
UCON 258CSA	2-1/8	7-15/16
UCON 44CSA	3-5/8	3-15/16
UCON 46CSA	3-5/8	5-15/16
UCON 48CSA	3-5/8	7-15/16
UCON 66CSA	5-5/8	5-15/16
UCON 88CSA	7-5/8	7-15/16




Couplings

Note: Product photos are for reference only.

Insulated Bushings


MEGA Stock Code	Dimension A inches	Dimension B inches
UI SB 2525CSA	2-1/8	2-7/16
UI SB 254CSA	2-1/8	3-15/16
UI SB 256CSA	2-1/8	5-15/16
UI SB 258CSA	2-1/8	7-15/16
UI SB 44CSA	3-5/8	3-15/16
UI SB 46CSA	3-5/8	5-15/16
UI SB 48CSA	3-5/8	7-15/16
UI SB 66CSA	5-5/8	5-15/16
UI SB 88CSA	7-5/8	7-15/16



Insulated Bushings

Trough Reducers

MEGA Stock Code	Adapts from this size inches	...to this size inches
URED 2542525CSA	2-1/2 x 4	2-1/2 x 2-1/2
URED 254256CSA	2-1/2 x 4	2-1/2 x 6
URED 25666CSA	2-1/2 x 6	6 x 6
URED 25888CSA	2-1/2 x 8	8 x 8
URED 442525CSA	4 x 4	2-1/2 x 2-1/2
URED 44254CSA	4 x 4	2-1/2 x 4
URED 44256CSA	4 x 4	2-1/2 x 6
URED 4446CSA	4 x 4	4 x 6
URED 4448CSA	4 x 4	4 x 8
URED 46254CSA	4 x 6	2-1/2 x 4
URED 48254CSA	4 x 8	2-1/2 x 4
URED 6644CSA	6 x 6	4 x 4
URED 6664CSA	6 x 6	6 x 4
URED 8844CSA	8 x 8	4 x 4
URED 25844CSA	2-1/2 x 8	4 x 4
URED 48256CSA	4 x 8	2-1/2 x 6
URED 8848CSA	8 x 8	4 x 8
URED 8866CSA	8 x 8	6 x 6




Trough Reducers

Note: Product photos are for reference only.


Wireway Mounting Bracket Kit - Used to Attach Wireway to Steel I-beams

MEGA Stock Code	Description
TR-MTG-KIT	Bracket, with 5 in. mounting bolt, nut and two washers



Strain Bars

MEGA Stock Code	For Wireway Width Inches
STB 25	2-1/2
STB 4	4
STB 6	6
STB 8	8



The NEC requires supports, like strain bars, to be used every 100 ft. in Wireway

Note: Product photos are for reference only.


Type 1 Indoor Wireway

NOTES:

1. TROUGH AND COVER CONSTRUCTION: GALV SHEET STEEL.
2. FINISH: POWDER COAT GRAY ENAMEL.
3. STANDARD 0.75" UP ON TOP LEDGE OF TROUGH OPENING.
4. 1 SET OF KNOCKOUTS PER FT OF TROUGH.
5. ANTI CHAFING EMBOSSMENTS FORMED INTO TROUGH SURROUNDING SCREW HOLES.
6. NKO TROUGH HAS SAME DIMENSIONS WITH KO'S OMITTED.



FRONT VIEW



SIDE VIEW



FRONT VIEW


MOUNT HOLES 4X

COUPLING SLOTS ON
3 SIDES OF TROUGH


TEARDROP SLOTS FOR
EASY COVER INSTALL OR REMOVAL

ANTI CHAFING
EMBOSSMENTS

SCREW FASTENED COVER
10-32 SCREWS



END VIEW



DETAIL D
SCALE 1 : 4

ENHANCED PERFORMANCE

- Wireway and cover are manufactured from 16 gauge steel.
- Available with or without knockouts. For no knockouts, refer to suffix -NK in catalog number.
- Available with or without paint. For no paint, refer to suffix -NP in catalog number. Non painted trough is nonstock.
- Covers incorporate teardrop slots for easy installation or removal and are attached with plated steel screws.
- Available in six standard sizes: 4 x 4, 6 x 6, 8 x 8, 10 x 10 and 12 x 12. Lengths between 1ft and 5ft. Custom sizes available upon request.
- Wide range of fittings allows for change of direction, junctions, terminations as well as transition from competitors products.
- ANSI 61 gray polyester powder coat finish.
- Available accessories shown on trough accessories page

APPLICATION

- Designed to allow long interrupted runs of electrical wiring for indoor applications where moisture and dust are not a problem.
- NEMA Type 1
- UL 870 Type 1
- CUL Type 1 (equivalent to CSA)

Note: Product photos are for reference only.


Indoor Wireway Identification Guide



45° Elbow



Cross Fitting



End Wall



Panel Adapter




90° Elbow



Coupling



Tee Fitting



Wireway

Note: Product photos are for reference only.

Wireway

MEGA Stock Code	Dimensions H x W x D (Inches)	NEMA Rating
T445	4 x 4 x 60	NEMA 1
T665	6 x 6 x 60	NEMA 1
T885	8 x 8 x 60	NEMA 1
T10105	10 x 10 x 60	NEMA 1
T12125	12 x 12 x 60	NEMA 1

4 x 4 Trough Wireway Fittings

MEGA Stock Code	Description
T4C	Connector
T4E	End Wall
T4PA	Panel Adapter
T490	Elbow – 90
T445	Elbow – 45
T4T	Tee
T4X	Cross
TR4	Reducer 4 - 2

6 x 6 Trough Wireway Fittings

MEGA Stock Code	Description
T6C	Connector
T6E	End Wall
T6PA	Panel Adapter
T690	Elbow – 90
T645	Elbow – 45
T6T	Tee
T6X	Cross
TR6	Reducer 6 - 4

8 x 8 Trough Wireway Fittings

MEGA Stock Code	Description
T8C	Connector
T8E	End Wall
T8PA	Panel Adapter
T890	Elbow – 90
T845	Elbow – 45
T8T	Tee
T8X	Cross
TR8	Reducer 8 - 6

10 x 10 Trough Wireway Fittings

MEGA Stock Code	Description
T10C	Connector
T10E	End Wall
T10PA	Panel Adapter
T1090	Elbow – 90
T1045	Elbow – 45
T10T	Tee
T10X	Cross
TR10	Reducer 10 - 8

12 x 12 Trough Wireway Fittings

MEGA Stock Code	Description
T12C	Connector
T12E	End Wall
T12PA	Panel Adapter
T1290	Elbow – 90
T1245	Elbow – 45
T12T	Tee
T12X	Cross
TR12	Reducer 12 - 10

Note: Product photos are for reference only.